AD-A122 663 SYNTHETIC AND MECHANISTIC STUDIES IN FLUORINE CHEMISTRY 1// NEW DEVELOPMENTS 1...(U) KANSAS STATE UNIV MANHATTAN DEPT OF CHEMISTRY D DO DESMARTEAU 30 NDV B2 UNCLASSIFIED ARO-14339.11-CH DAAG29-80-C-0102 F/G 7/3 NL

1.0 m 22 22 m 22 1.1 22 m 220 1.8

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARD-1965-A

SYNTHETIC AND MECHANISTIC STUDIES IN

PLUORINE CHEMISTRY. NEW DEVELOPMENTS IN

OR ANONITROGEN PLUORINE CHEMISTRY

Pinal Technical Report

Darryl D. DesMarteau

November 30, 1982

U.S. Army Rosearch Office

Grant Number DAAG29-77-G-0071

Contract Number DAAG29-80-C-0102

Kansas State University
Manhattan, Kansas 66506

Approved for Public Release;
Distribution Unlimited



A

MB 18 22 050

DE FILE COPY

SECUMTY CLASSIFICATION OF THIS PAGE (Then Date Selected

REPORT DOCUMENTATION PAGE	READ DISTRUCTIONS BEFORE COMPLETING FORM
T. REPORT HUMBER AD A GOVY ACCESSION NO.	3 BECIPIEUT'S CATALOS MUMBER
e title (My Subme) Synthetic and Mechanistic Studies in Pluorine Chemistry. New Developments in Organomitrogen Pluorine Chemistry	Final Technical Report 1/15/77-7/31/82
7. Au TingAyay	B CONTRACT ON SHART HUMBERIN
Darryl D. DesMarteau	DAAG29-80-C-0102
S. PERFORMING ORGANIZATION NAME AND ADDRESS Kansas State University Department of Chemistry Manhettan, Kansas 66506	AREA & TOTAL UNIT MUNICIPAL TABLE
11. CONTROLLING OFFICE NAME AND ADDRESS U. S. Army Research Office Post Office Box (201) Research Triangle Park, NC 27709	November 30, 1982
TE USBITSHING ACTRET WANT & ACCRESSING MINISTERS CONCERNS OTHER)	Unclassified Unclassified Unclassified

16 DISTRIBUTION STATEMENT FOR the Reports

Approved for public release; distribution unlimited.

17 GIST MBUTION STATEMENT (of the abstract entered in Block 18, If different from Report)

AI.

16 SUPPLEMENTARY NOTES

The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

Synthesis of perfluoroorganonitrogen compounds, perfluorooxaziridines, perfluoroimines, reactions of perfluorooxaziridines with nucleophiles, cycloaddition reactions of perfluorooxaziridines, homo and copolymers of perfluorooxaziridines,
reactions of perfluoroimines, polymerization of perfluoroimines, fluoride catalyzed reactions of perfluoroimines, fluoride promoted reactions of perfluoroimines

The reaction chemistry of the novel oxaziridine 2-trifluoromethyl-3,3-difluorooxaziridine, CP/NCP/O, (acronym PPAPO-pentafluoroazapropene oxide) is described, PPAPO shows many similarities to HFPO-hexafluoropropene oxide, CP/CPCP/O,c
commercially important monomer for polymer synthesis. PPAPO undergoes ring opening
by many nucleophiles leading to polymers or compounds of the type CP/N(Nu)C(O)P.
The latter can be converted to amines CP/N(Nu)H by reaction with H/O/NaP and
to imines CP/=NNu by reaction with KP. PPAPO also exhibits chemistry unique
from that of HFPO in that it undergoes novel cycloadditions with olefins and

DD 1/400 1473 CONTION OF 1 NOV 65 IS GOSGLETE

UNCLASSIFIED


SECURITY CLASSIFICATION OF THIS PAGE (Then Both Britans)

2). ABSTRACT SUNTINGED

ketones, with itself in the presence of SbF and possibly with nitriles. These reactions are very unusual from a mechanistic standpoint and provide novel heterocycles and polymers with potentially useful properties.

New chemistry of perfluoroimines is exemplified by perfluoromethanisme, CFZ=NF. A novel chlorofluorination of ClCN, followed by dechorination with Hg in TFAA provides an excellent high-yield synthesis. This imine exhibits a rich chemistry in the presence of fluoride ion, which generates the perfluoromethanism ion CFNF. The latter is an excellent nucleophile for many reactions leading to novel examples of organonitrogen fluorine compounds. Perfluoromethanisms can also be cationically polymerized to form a unique N-F polymer 40P NF), 40x1dation of CFNF by halogous provides the first examples of N-browo-N-fluoroalkanamines. Cyclization of the dimer of CF-NF by CSF leads to a novel diaziridine, CFNCFNF, which undergoes a unique rearrangement to CFN-NFCF, in the presence of Fe, Cr and Ni. Considerable chemistry observed for CF-NF can be extended to other imines and some nitriles.

CF211) 400 10



THE RESERVE OF THE PARTY OF THE

PROBLEM STUDIED

The synthesis and properties of novel organomitrogen fluorine compounds were investigated with emphasis on the chemistry of perfluorinated exaziradines, imines and amines.

SUMMARY OF IMPORTANT RESULTS

Oxaziridines. The novel oxaziridine, 2-trifluoromethyl-1,3-difluoroxaziridine, CF,NCF₂O, was extensively investigated and a remarkable reaction chemistry has been found for the compound. The compound is designated by the acronym PFAPO (pentafluoroaxapropene oxide) and it shows many similarities to the commercially important hexafluoropropene exide, CF,CPCP₂O, (NPPO). NPPO is used for the preparation of polymers involving the ring opening of the epoxide by fluoride ion or other bases. Thus NPPO forms the intermediate CP₂CP₂O² anion on attack by fluoride ion. Similar behavior is found for PPAPO.

The enion so generated may then react with appropriate substrates or with the epoxide, or under suitable conditions, loss of fluoride occurs leading to isomerization.

In the case of HFPO, the industrial application are based on the attack of the anion on HFPO leading to homopolymerization or on unsaturated fluorocompounds leading to copolymers. The homo and copolymerization of PFAPO in the same way is clearly feasible and homopolymers have been observed in reaction with CsP, but these have not yet been characterized.

Many nucleophiles attack PFAPO and a series of interesting transformations have been demonstrated.

No is an alkoxy or perfluorostkexy group and the dimerization of J occurs only with the latter. The same series of transformation may also be carried out when Nu=F.

PPARO has been shown to underso many unique reactions, not observed for HPPO. These reactions are resurkable both from the standpoint of their mechanisms and their preparative value. Some of these reactions are summarized in Scheme

SCHEME 1

A variety of olefins undergo cycloadditions and many polar unsaturates besides ketones and nitriles will undoubtedly react, but have not yet been investigated. Of particular note are the polymers indicated and the perhalogenated 1,3-oxazolidines. The latter are chemically and thermally very inert and the perfluorocompound formed with tetrafluorocthylene is stable to 650°C and is untouched by hot concentrated sulfuric acid or aqueous permanganate. The polymer noted with CF₂=CH₂ is not yet well characterized but the similarity to fluorinated nitroso rubbers and other clastomers such as Viton is clear. Under appropriate conditions, it seems clear that PFAPO can be made to polymerize with a variety of olefins.

Image. Another extensively investigated compound is perfluoromethanismine, CF2-NP. The levelopment of a high yield synthesis of this material was a major breakthrough. Starting from resultly available CICN, CF2-NP ion be prepared in over 90% yield.

The chemistry of CP₂=NP leads readily to many new compounds including the first examples of polymeric N-P compounds and perfluoroalkyamonium salts. Some of the remarkable chemistry of CP₂=NP is summarized in Scheme 2. Much of this work is truly unique and extension to other imines and nitriles is clearly possible based on preliminary work.

A STATE OF THE STA

SCHEME 2
Some Chemistry of CF₂=NF

$$\begin{array}{c} \text{CF}_{3}\text{NIII}_{2}^{\dagger}\text{AsF}_{6}^{\dagger} \\ \text{HF, AsF}_{5} \\ \text{CF}_{2}\text{NF} \\ \text{DF}_{1}^{\dagger} \\ \text{CF}_{3}\text{NG} \\ \text{CF}_{3}\text{NF}^{\dagger} \\ \text{CF}_{3}\text{NF}^{\dagger} \\ \text{CF}_{3}\text{NF} \\ \text{CF}_{3}\text{NFCF=NF} \\ \text{RC}(0)\text{F} \\ \text{CF}_{3}\text{NFCF}_{3} \\ \text{CF}_{3}\text{NFCF}_{2} \\ \text{CF}_{3}\text{N=NCF}_{3} \\ \text{N} \end{array}$$

Summary. Details of some of the above work as well as other research are contained in the publication list in the following section. In continuing work in this area, seven additional publications are in various states of preparation, relating to the chemistry of SP₄=NP, CP₂=NCl, other perhalogenated oxaziridines and fluoride catalyzed and fluoride promoted reactions of fluororarbon nitriles and imines.

LIST OF PUBLICATIONS

- 1. A. Sekiya and D. D. DesMarteau, "Reaction of CF_COMMCF_COCF_3 with Metal Fluorides," Inorg. Chem., 18, 919 (1979).
- A. Sekiya and D. D. DesMarreau, "The Reaction of 2-Trifluoromothyl-3,3-difluorooxaziridine with Some Pluorinated Nucleophiles, J. Org. Chem. 44, 1131 (1979).
- A. Sekiya and D. D. DesMarteau, "A Facile Synthesis of 1.1-Bix(fluoroxy)perfluoroethane," Inorg. Nucl. Chem. Letters, 15, 203 (1979).
- Λ. Sekiya and D. D. DesMarteau "Novel N-Pluoroamines via the Chlorofluorination of Compounds with Carbon-Nitrogen Triple Bonds," J. Am. Chem. Soc., 101, 7460 (1980).
- A. Sekiya and D. D. DesMarteau, "The Reaction of 2-Trifluoromethyl-3,3-difluorometridine with Nucleophiles," J. Pluorine Chem., 14, 289 (1979).
- 6. A Sekiya and P. D. DesMarteau, "Synthesis of 1,1-Bix(fluoroxy)perhalosikanes by Reaction of Fluorinated Carboxylic Acids with Fluorine in the Presence of Cesium Fluoride," Inorg. Chem., 19, 1328 (1980).
- A. Sekiya and D. D. DesMarteau, "Synthesis of Trifluoromethyl Amines CF₃N(X)N, from CF₃N(X)C(O)F," J. Fluorine Chem., 15, 143 (1980).
- A. Sekiya and D. D. DesMirteau, "Synthesis and Properties of 2-(Pentafluorothio)-3,3-difluorooxaxiridine," Inord. Chem., 19, 1330 (1980).
- D. D. DesMarteau and K. Seppelt, "N-Pluoroiminosulfur Tetrafluoride," Angew. Chemic, 92, 659 (1980).
- 10. A. Sekiya and D. D. DesMarteau, "The Chlorofluorination of Nitriles. Preparation of N-Chloro-N-fluoronikylamines," Inorq. Chem., 20, 1 (1981).
- A. Sekiya and D. D. DesMarteau, "The Reaction of N-Chlore-N-Pluoroamines with Mercury. A Facile Synthesis of N-Pluoroimines and N-Pluoroamines," J. Org. Chem., 46, 1277 (1981).
- A. Sekiya and D. D. DesMarteau, "The Addition of Pluorine to Perhalogenated Compounds Containing Carbon-Nitrogen Double Bonds," J.Pluorine Chem., 17, 463 (1981).
- 13. W. Y. Lam and D. D. DesMarteau, "Novel 1,1-Difluoro-2-Akloxymethanimines," J. Fluorine Chem., 18, 441 (1981).
- 14. D. D. DesMarteau, H. H. Bysle, H. H. Oberhammer and H. Gunther, "Novel Sulfur-Nitrogen Fluorine Compounds. Synthesis and Properties of SP_NCIP, SP_NHP and FN=SP_and the Molecular Structure and Vibrational Analysis of FN=SP_4."

 Inorg. Chem., 21, 1607 (1982).

- S.-C. Chang and D. D. DesMarteau, "Perfluoromethanamine Ion," Polyhedron,
 1, 129 (1982).
- 16. W. L. Lam and D. D. DesMarteau, "Unusual Cycloadditions of 3-Trifluoromethyl-2,2-difluoromaziridine, J. Am. Chem. Soc., 104, 4034 (1982).

Papers in Press (Copies proviously provided to ARO)

- 17. D. Christen, H. Oberhammer, R. M. Hammaker, S. C. Chang and D. D. DosMarteau, "The Structure of Perfluoremethanimine by Microwave, Intrared and Ramon Spectroscopy, Electron Diffraction and Ab Initio Methods," J. Am. Chem. Soc.
- C. Chang and D. D. DesMarteau, "Addition Reaction of N-Bromoperfluoromethanamine with Some Oletins," J. org. Chem.
- 19. S. C. Chang and D. D. DesMirteau, "Fluoride Catalyzed Reactions of Perfluoromethanimine. Novel Chemistry of the Perfluoremethanamine Ion", J. Org. Chem.
- 20. S. C. Chang and D. D. DesMarteau, "Oxidation Reactions of Perfluoromethanimine and Related Compounds. Electrophylic Additions to CF, NF and Fluoride Promotest Oxidation of Perhapsimines and Nitrites by Cl, and Nr, "Inorg. Chem.

PARTICIPATING SCIENTIFIC PERSONNEL

Dr. Darryl D. DesMarteau, principal investigator

Dr. Akira Sakiya, postdoctoral

Dr. Brian A. O'Brian, postdoctoral

Paul Mulcahy*

Dr. Kamelesh Johri, Ph.D. 1982

Dr. Yataka Katsuhara, postdoctoral*

Dr. William Y. Lam, postdoctoral

Shi-Ching Chang, Ph.D. 1982

Yuan y. Zheng, visiting scholar

^{*}minor participants